

ഓങ്ങല്ലൂർ ഗ്രാമ പഞ്ചായത്ത് കാര്യാലയം

കളാടിപ്പറ്റ പി.ഒ, പാലക്കാട് - 679313

മൊബൈൽ നം :- +91 9496047125 / +914662233242

ഇമെയിൽ :- ddpongallurpkd@gmail.com

നമ്പർ SC2-3539/2025

- ഭരണ ഭാഷ - മാതൃ ഭാഷ -

തീയതി : 24.08.2026

പുന: ദർഘാസ്

ഓങ്ങല്ലൂർ ഗ്രാമപഞ്ചായത്തിലെ 2026—27 സാമ്പത്തിക വർഷത്തിൽ VBGRAMG വികസിത് ഭാരത് ഗ്യാരന്റി ഫോർ റോസ്ഗാർ & അജീവിക മിഷൻ(ഗ്രാമീൺ) പദ്ധതിയിൽ ഉൾപ്പെടുത്തി നടപ്പിലാക്കുന്ന മെറ്റീരിയൽ പ്രവൃത്തികൾക്കാവശ്യമായ സാധനസാമഗ്രികൾ പഞ്ചായത്തിലുടനീളം ആറു മാസ കാലത്തേക്ക് യൂണിറ്റ് നിരക്ക് അടിസ്ഥാനത്തിൽ സപ്ലൈ ചെയ്യുന്നതിന് ജി.എസ്.ടി നമ്പറുള്ള അംഗീകൃത ഏജൻസികളിൽ നിന്നും മത്സരാധിഷ്ടിത ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ടെണ്ടർ സംബന്ധമായി നിലവിലുള്ള എല്ലാ നിയമങ്ങളും ഈ ടെണ്ടറിനും ബാധകമായിരിക്കും. ടെണ്ടർ സംബന്ധിച്ച അന്തിമ തീരുമാനം പഞ്ചായത്ത് ഭരണസമിതിയിൽ നിക്ഷിപ്തമായിരിക്കും. കൂടുതൽ വിവരങ്ങൾക്ക് ഓഫീസ് പ്രവൃത്തി സമയങ്ങളിൽ ഈ കാര്യാലയത്തിൽ അന്വേഷിച്ച് അറിയാവുന്നതാണ്.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും : 16/09/2026, 5 PM

ടെണ്ടർ തുറക്കുന്ന തീയതിയും സമയവും : 18/09/2026, 10 AM



Secretary
Ongallur Grama Panchayat

സാധന സാമഗ്രികളുടെ വിശദ വിവരങ്ങൾ

1	100 mm channel shoulder 2.5 m long	1.000	each
2	100 mm S.C.I. trap with vent heel	1.000	each
3	15 mm C.P.brass tap	1.000	each
4	15 mm PTMT bib cock	1.000	each
5	200 mm Aluminium aldrops	1.000	each
6	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile non decorative finished (Matt finished)	1.000	sqm
7	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile non decorative finished (Matt finished)	1.000	sqm
8	Acrylic exterior paint	1.000	Litre
9	Adjustable span ESO+SI (2.35-3.40)	1.000	each
10	Adjustable telescopic prop 3 m (2.02-3.75m)	1.000	each
11	Aluminium T or L Sections	1.000	kilogram
12	Anodised Aluminium butt hinges 100x75x4 mm	1.000	10 nos
13	Anodised Aluminium handles 125 mm with plate 175 X 32 mm	1.000	10 nos
14	Anodised Aluminium tower bolt (barrel type)300x10 mm	1.000	10 nos
15	Beam clamp 300-380 mm (450-1070 mm)	1.000	each set
16	Binding wire	1.000	Kg
17	Black colour dark shade pigment	1.000	kilogram
18	Black Japan	1.000	Litre
19	Bone Meal	1.000	Kg

20	Brass 100 mm mortice latch and lock with 6 levers without pair of handles	1.000	each
21	Brass bib-cock-15 mm dia	1.000	each
22	Bright finished or black enameled mild steel butt hinges 100x58x1.90 mm	1.000	nos
23	Bright finished or black enameled mild steel screws 20 mm	1.000	50 nos
24	Bright finished or black enameled mild steel screws 40 mm	1.000	50 nos
25	C.I. bracket for wash basin and sinks	1.000	pair
26	C.P. brass waste 32 mm	1.000	each
27	Ceramic Glazed Tiles Ist quality 300 x 300 mm in all shades and designs of White, Ivory, grey, Fume Red brown etc.	1.000	sqm
28	Ceramic Glazed Tiles Ist quality minimum thickness 5 mm in all colours shades and designs except burgundy, bottle green black	1.000	sqm
29	Chromium plated Brass screws 20 mm	1.000	50 nos
30	Chromium plated Brass screws 25 mm	1.000	50 nos
31	Chromium plated Brass screws 30 mm	1.000	50 nos
32	Coarse Sand (zone III)	1.000	cum
33	Column clamp 450x1070 mm	1.000	each
34	Corner angle 45x45x5 mm 1.50 m long	1.000	each
35	Corner angle 45x45x5 mm 2.50 long	1.000	each
36	Cowdung	1.000	cum
37	Deharadun white lime	1.000	quintal
38	Double clip (bridge clip)	1.000	each
39	Exterior primer	1.000	kilogram

40	Factory made door frame size 50x47 mm with wall thickness 5 mm made of single piece extruded profile	1.000	metre
41	Factory made door frame size 50x47 mm with wall thickness 5 mm made of single piece structud profile	1.000	meter
42	Fine sand (zone IV)	1.000	cum
43	Flats exceeding 10 mm in thickness	1.000	quintal
44	Flats up to 10 mm in thickness	1.000	quintal
45	Float glass sheet of nominal thickness 4 mm (weight not less than 10 kg/sqm)	1.000	sqm
46	Float glass sheet of nominla thickness 5.5 mm (weight not less than 13,50 Kg/ sqm)	1.000	sqm
47	Flushing Cistern P.V.C. 10 lts capacity (low level) (white) (with fittings, accessories and flush pipe)	1.000	each
48	Flushing Cistern P.V.C. 10 lts capacity (low level) (white) (with fittings, accessories and flush pipe)	1.000	each
49	Flushing Cistern P.V.C. 10 lts capacity (low level) (white) (with fittings, accessoriesand flush pipe)	1.000	each
50	Galvanized steel L or J hooks	1.000	10 nos
51	Galvanised wire mesh of average width of aperture 1.4 and nominal dia. of wire 0.63 mm	1.000	sqm
52	GI chicken mesh	1.000	sqm
53	GI pipe 40mm dia	1.000	meter
54	GI pipe 50mm dia	1.000	meter
55	GI trafford profile sheet 0.35mm thick	1.000	sqm
56	Grafted Mango Sapling	1.000	each
57	Green Net 75% shade	1.000	sqm

58	Hard board 6 mm thick	1.000	sqm
59	Hire charges of Concrete Mixer 0.25 to 0.40 cum with Hopper	1.000	day
60	Hollock ballies 125 mm diameter	1.000	metre
61	Interlocking C.C. paver block (60 mm thick, M-30)	1.000	sqm
62	Interlocking C.C. paver block (80 mm thick, M-30)	1.000	sqm
63	Iron hooks & eyes 100 mm	1.000	10 nos
64	laterate stone of size 40x20x15cm	1.000	each
65	M.S. Tube 40 mm dia	1.000	metre
66	Manglore tiles 20mm thick	1.000	each
67	Metal Primer (U.G.)	1.000	litre
68	Mild steel hooks	1.000	each
69	Mild steel plates	1.000	quintal
70	Mild steel rivets	1.000	quintal
71	Mild steel round bar 12 mm dia and below	1.000	quintal
72	Mild Steel round bar above 12 mm dia	1.000	quintal
73	Mild steel sheets for tanks	1.000	quintal
74	Mild steel sheets with bolts and nuts to rest on pintels	1.000	each
75	Mild steel tubes electric resistant or induction butt welded	1.000	kilogram
76	Mild steel tubes hot finished welded type	1.000	kilogram
77	Multi surface paint	1.000	litre
78	Neoprene / EPDM rubber gasket	1.000	metre
79	Pair Anodised Aluminium lever handles for 100 mm mortice latch and lock	1.000	each

80	Plastic emulsion paint	1.000	litre
81	Polyethylene water storage tank with cover and suitable locking arrangement	1.000	per litre
82	Polyurethane bags	1.000	kilogram
83	Portland Cement	1.000	tonne
84	Powder coated M.S. butt hinges 100 mm X 58 mm X 1.9 mm	1.000	10 nos
85	Powder coating 50 microns on aluminium sections	1.000	kilogram
86	Precast chequered cement tiles 22 mm thick Dark shade using ordinary cement	1.000	sqm
87	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS:12823 (exterior grade) 12 mm thick	1.000	sqm
88	Premium acrylic emulsion of interior grade, having VOC content less than 50gm/litre	1.000	Litre
89	Prop 2 m (2-3.5m)	1.000	each
90	PVC bend 110 mm dia	1.000	each
91	PVC Bend 63 mm dia	1.000	each
92	PVC Bend 75mm dia	1.000	each
93	PVC door Elbow 110 mm dia	1.000	each
94	PVC door Elbow 63 mm dia	1.000	each
95	PVC Elbow 110 mm dia	1.000	each
96	PVC Elbow 63 mm dia	1.000	each
97	PVC Elbow 75mm dia	1.000	each
98	PVC End cap 63 mm dia	1.000	each

99	PVC pipe 110 mm outer dia 6kgf/cm ²	1.000	metre
100	PVC pipe 150 mm outer dia 6kgf/cm ²	1.000	metre
101	PVC pipe 25 mm outer dia. 10kgf/cm ²	1.000	metre
102	PVC pipe 50 mm outer dia. 6kgf/cm ²	1.000	metre
103	PVC pipe 63 mm outer dia . 6kgf/cm ²	1.000	meter
104	PVC Pipe 63 mm outer dia 4kgf/cm ²	1.000	meter
105	PVC pipe 75 mm outer dia 6kgf/cm ²	1.000	metre
106	PVC Reducer 63x50 mm dia	1.000	each
107	PVC Socket/coupling 110 mm dia	1.000	each
108	PVC Socket/coupling 75 mm dia	1.000	each
109	PVC Tee 63x63x63 mm dia	1.000	each
110	PVC vent cowl 75 mm dia	1.000	each
111	Quarry waste	1.000	cum
112	Rawl plug 50 mm (designation 10 nos)	1.000	each
113	Rectangular shape 453x357 mm Mirror with Plastic moulded frame	1.000	each
114	Red oxide zinc chromate primer	1.000	liter
115	Second class kail wood in planks	1.000	10 cud m
116	Second class kail wood in scantling	1.000	10 cud m
117	Second class kali wood in planks	1.000	10 cud m
118	second class kali wood in scantling	1.000	10 cud m
119	Single clip	1.000	each
120	Solid blocks of size 30x20x15cm	1.000	each
121	Solid blocks of size 30x20x20cm	1.000	each

122	SOLID BLOCK 40x20x20	1.000	each
123	Special primer (C.W)	1.000	litre
124	Stainless steel kitchen sink - without drain board 470x420 mm bowl depth 178 mm	1.000	each
125	Stainless steel kitchen sink without drain board 470x420 mm bowl depth 178 mm	1.000	each
126	Stone Aggregate : 10 mm	1.000	cum
127	Stone Aggregate : 40 mm	1.000	cum
128	Stone Aggregate :20 mm	1.000	cum
129	Stone Aggregate(sing size): 06 mm nominal size	1.000	cum
130	Stone Aggregate(single size): 40 mm nominal size	1.000	cum
131	Stone for masonry work	1.000	cum
132	Structural steel such as tees , angles , channels and R.S. Joists	1.000	quintal
133	Structural steel such as tees, angles, channels and R.S. joists	1.000	quintal
134	Sundries	1.000	L.S
135	Synthetic enamel paint in black or chocolate shade	1.000	Litre
136	Through and bond stone size 24 X 24 X 39cm	1.000	50 nos
137	Twisted steel /deformed bar	1.000	quintal
138	Twisted steel/deformed bars	1.000	quintal
139	Vibrator (Needle type 40 mm)	1.000	day
140	Vitreous china flat back wash basin 550x400 mm	1.000	each
141	Vitreous China flat back wash basin 630x450 mm	1.000	each
142	Vitreous China orrisa type w.c. pan size 580 mm	1.000	each

143	Vitrified floor tile 60x60 cm	1.000	sqm
144	Wall form panel 1250x450xmm	1.000	each
145	Wall form panel 1250x500mm	1.000	each
146	Water proofing cement paint	1.000	kilogram
147	Water thinnable cement primer for interior wall surface, having VOC content less than 50 gms/litre	1.000	Litre
148	welding by electric plant	1.000	cm
149	wire nails	1.000	kg